


WIRING DIAGRAM



DESIGN DATA

CODE	N/A	
UNIT	mm	
KIND OF FLUID		
PRESS.	DESIGN	5(Max.) kg/Cm <sup>2</sup>
	OPERATING	- kg/Cm <sup>2</sup>
TEMP.	DESIGN	-10 ~ 120 °C
(SENSOR)	OPERATING	- °C
TEMP.	DESIGN	-10 ~ 120 °C
(ELECTRONICS)	OPERATING	- °C
CONTACT RATING		250V AC, 0.5A
POWER SUPPLY		-
ENCLOSURE		WEATHER PROOF
SP.GR		0.65(Min.)
OUTPUT	<input type="checkbox"/> 1 SPST	<input type="checkbox"/>
	<input type="checkbox"/> 1 SPDT	<input type="checkbox"/>
VISCOSITY		1Pa.s/10P Less
MOISTURE		Max 80%RH

TAG NO.	-

NOTES

REVISION

8	COVER	ADC 12	1	
7	HOUSING	ADC 12	1	
6	COUPLING	316SS	1	
5	STEM	316SS	1	
4	SUPPORT	316SS	1	
3	PIN	316SS	1	
2	SHAFT	316SS	1	
1	FLOAT	316SS	1	
NO	DESCRIPTION	MATERIAL	QTY	SPECIFICATION
				REMARK

BILL OF MATERIAL

CUSTOMER	-
PROJECT	-
TITLE	Magnetic Float Type Level Switch SFM-13-B-1-A-1-A-1 APPROVAL DRAWING

MANUFACTURER

Seojin Instech Co., Ltd.

SCALE	1:1	EXP CODE	0000	Work Order No.	-	REV	1
DATE	2024.01.10	SU-MO10-DWG-AP006					